

Utah Department of Environmental Quality

Division of Drinking Water

Monitoring Schedule

Run Date:
08/04/2011 12:23 pm

PWS ID: UTAH18104 **Name:** MOUNTAIN DELL CAFE AND GOLF COURSE

Legal Contact: MT. DELL CAFE & GOLF COUR **Rating:** Approved
CRAIG K COLE **Rating Date:** 04/09/1996

Address: 2375 S 900 E **Activity Status:** Active
SALT LAKE CITY, UT 84106

Phone Number: 801-581-9827

City Served (Area):

County: SALT LAKE COUNTY

System Type: Non-community **Last Inv Update:** 05/12/2010 **Avg Daily Prod:**

Activity Status Cd: Active **Last Snty Srv Dt:** 10/29/2010 **Total Dsgn Cap:**

Population: 300 **Surveyor:** PETER T KEERS **Total Emerg Cap:**

Oper Period: 1/1 to 12/31

Gal/Day Gal/Min

Total Coliform Rule Monitoring

Sample Count	Sample Type	Sample Frequency	Effective Begin Date	Effective End Date	Seasonal Start	Seasonal End	Analyte Name
1	Routine	Quarterly	10/01/2009		1/1	12/31	COLIFORM (TCR)

Additional Monitoring Requirements

(The Sample Label is not correct for Disinfection Byproducts, TOC, TOC Alkalinity, and any triggered groundwater samples)

Facility ☐ ID Facility Name

Analyte Name	Sample Count	Sample Type	Sample Frequency	Last Sample	Next Sample Between
WS001 MTN DELL CAFE SPRING		Activity Status: A	Sample Label: UTAH18104	WS001	WS001
NITRATE	1	Routine	Year	01/20/2010	01/01/2011-12/31/2011
SULFATE	1	Routine	9Y	01/07/2009	01/01/2011-12/31/2019